







Biota-H is a biological fungicide based on Trichoderma harzianum, a beneficial soil fungus known for its powerful antifungal and plant-growth-promoting activity. It colonizes the rhizosphere and root surface, creating a natural protective soil-borne barrier against seed-borne fungal pathogens. Through mechanisms like competition, antibiosis, mycoparasitism, and induced systemic resistance, Biota-H suppresses harmful fungi while stimulating robust root growth, nutrient uptake, and overall plant resilience.

#### **Product Overview**

# **Active Ingredients**

Trichoderma harzianum

## Formulation Type

Wettable Powder (WP)
/ Oil Dispersion (OD)

# **Application Guidelines**

Dosage (per acre)	Potency
l Litres	1 × 10 <sup>8</sup> CFU/mL
Dosage (per acre)	Potency

### **Target Pathogens**

Trichoderma harzianum is effective against a wide range of soil-borne and seed-borne fungal pathogens, including: Fusarium spp, Rhizoctonia, Sclerotium rolfsii, Pythium spp. (causes seedling blight and damping-off) Phytophthora spp, Botrytis spp, Colletotrichum spp, Alternaria spp.

## **Key Benefits**

- Broad-spectrum suppression of major soil & seed-borne fungi.
- Rapid rhizosphere colonization δ root protection.
- Enhances root growth & nutrient uptake.
- Promotes healthier plants & higher yield potential.
- Reduces dependency on chemical fungicides.
- Safe, residue-free, and sustainable.



#### Shelf Life & Storage

24 months from manufacturing date. Store in a cool, dry, well-ventilated.

#### **Ideal Spray Interval**

7 to 10 Days depending on the pest incidence.

#### Re-Entry & Pre-Harvest Intervals

REI: 4 Hours | PHI: 0 days (Harvest can be carried out immediately after application).

## Safety & Handling



Safe for humans, & beneficial organisms.



Wear protective gloves & mask.



Avoid contact with eyes & skin.



Wash equipment & hands after use.





